

# Casein Kinase Ia (Q317) polyclonal antibody

Catalog: BCP00336 Host: Rabbit Reactivity: Human, Mouse, Rat

#### **BackGround:**

Casein kinase I (also designated CKI) and casein kinase II (also designated CKII) compose a family of serine/threonine protein kinases which are present in all eukaryotes examined to date. CKI family members, which include CKI $\alpha$ ,  $\beta$ ,  $\gamma$ ,  $\gamma$ ,  $\gamma$ ,  $\gamma$ ,  $\gamma$ , and  $\gamma$ , have been implicated in the control of cytoplasmic and nuclear processes, including DNA replication and repair. CKII is usually expressed as a tetrameric complex consisting of either an  $\alpha 2\beta 2$  or an  $\alpha \alpha'\beta 2$  structure. The a catalytic subunit is stimulated by the  $\beta$  regulatory subunit, which undergoes autophosphorylation. CKII activity is high in the cytosol and nucleus of proliferating and differentiating cells. CKII is known to phosphorylate more than 100 different substrates including nuclear oncoproteins, transcription factors and enzymes involved in DNA metabolism.

#### **Product:**

Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2

## **Molecular Weight:**

~ 42 kDa

#### **Swiss-Prot:**

P48729

#### **Purification&Purity:**

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

### **Applications:**

WB: 1:500~1:1000 IHC: 1:50~1:200 IF: 1:50~1:200

# Storage&Stability:


Store at 4 ℃ short term. Aliquot and store at -20 ℃ long

term. Avoid freeze-thaw cycles.

## **Specificity:**

Casein Kinase I $\alpha$  (Q317) polyclonal antibody detects endogenous levels of Casein Kinase I $\alpha$  protein.

## **DATA:**




Western blot (WB) analysis of Casein Kinase I  $\alpha$  (Q317) pAb at 1:500 dilution

Lane1:PC3 whole cell lysate(10ug)

Lane2:A549 whole cell lysate(10ug)

Lane3:The Lung tissue lysate of Rat(40ug)

Lane4:The kidney tissue lysate of Mouse(40ug)



Immunohistochemistry (IHC) analyzes of Casein Kinase I $\alpha$  (Q317) pAb in paraffin-embedded human breast carcinoma tissue at 1:100.

#### Note:

For research use only, not for use in diagnostic procedure.