

## CD262 polyclonal antibody

Catalog: BCP00417

Host: Rabbit

Reactivity: Human,Rat,Mouse

### BackGround:

Receptor for the cytotoxic ligand TNFSF10/TRAIL. The adapter molecule FADD recruits caspase-8 to the activated receptor. The resulting death-inducing signaling complex (DISC) performs caspase-8 proteolytic activation which initiates the subsequent cascade of caspases (aspartate-specific cysteine proteases) mediating apoptosis. Promotes the activation of NF-kappa-B. Essential for ER stress-induced apoptosis.

### Product:

Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2.

### Molecular Weight:

~ 55 kDa

### Swiss-Prot:

O14763

### Purification&Purity:

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

### Applications:

WB: 1:1000~1:2000

### Storage&Stability:


Store at 4 °C short term. Aliquot and store at -20 °C long

term. Avoid freeze-thaw cycles.

### Specificity:

CD262 polyclonal antibody detects endogenous levels of CD262protein.

### DATA:



Western blot (WB) analysis of CD262 polyclonal antibody at 1:1000 dilution

Lane1:Hela whole cell lysate(30ug)

Lane2:A549 whole cell lysate(30ug)

Lane3:The Heart tissue lysate of Mouse(30ug)

Lane4:The Heart tissue lysate of Rat(30ug)

### Note:

For research use only, not for use in diagnostic procedure.