## PRODUCT DATA SHEET



# Complex Biotech Co., Ltd

# **CD40 Recombinant Protein**

Catalog: BCP3340 Host: E.coli Tag: His-tag

### **BackGround:**

CD40, also known as tumor necrosis factor receptor superfamily member 5 (TNFRSF5), is a type I transmembrane protein expressed on the surface of B cells and professional antigen-presenting cells of the immune system, as well as on several non-hematopoietic cell types and cancers. CD40 interacts with CD40 ligand (CD40L/TNFSF5), which is expressed primarily on activated T cells but has also been reported on blood platelets, mast cells, basophils, NK cells, and B cells. Upon engagement with CD40L, CD40 signals through TNF receptor associated factors and MAP kinase signaling pathways, resulting in a wide variety of immune and inflammatory responses, including dendritic cell activation and cross-presentation, T cell-dependent immunoglobulin class switching, memory B cell development, and germinal center formation. The CD40/CD40L axis is essential for the initiation and progression of cellular and humoral adaptive immunity, and is an important area of interest in the study of tumor immunology, neurodegenerative diseases, vascular diseases, and inflammatory disorders.

#### **Product:**

PBS, 4M Urea, PH7.4

**Molecular Weight:** 

~25kDa

**Swiss-Prot:** 

### P25942

## **Purification&Purity:**

Transferred into competent cells and the supernatant was purified by NI column affinity chromatography and the purity is > 85% (by SDS-PAGE).

## **Restriction Sites:**

NdeI-XhoI


## Storage&Stability:

Store at  $4 \, \mathbb{C}$  short term. Aliquot and store at  $-20 \, \mathbb{C}$  long term. Avoid freeze-thaw cycles.

## **Expression Vector:**

pet-22b(+)

#### **DATA:**



### Note:

For research use only, not for use in diagnostic procedure.